460.00 mm

350.00 mm

ENGLISH | HINDI | MARATHI | GUJARATI | PUNJABI

DICTATOR

Fipronil 10% + Diafenthiuron 30% WG
(Insecticide)

Read Leaflet Before Use

Fipronil 10% + Diafenthiuron 30% WG is a Broad Spectrum Insecticide. It is recommended for its use to control insects, mites and pink bollworm in cotton.

Recommended as:

Crop	Common Pest	Dosage/ha		Water used	Pre-harvest Interval Days	Toxicity Label Class
		Al. (a.i.) gm	Formulation (g)			
Cotton	Jassids, Thrips, Whitefly, Spotted bollworm, Pink bollworm (Pectinophora gossypiella)	75 + 225	750	500	7	III

Good Practices relating to pesticide application techniques

Direction of use: Measure required quantity of the product and mix well in a small quantity of water. Add the remaining quantity of water as per the safety interval mentioned for the crop with a thorough agitation for best coverage of crop.

Weather condition (in general): Spray are mostly carried out in warm and calm hours. Do not apply if windy. Apply in the morning.

Soil and water (where ever applicable): Only basic use of the application.

Crop stage for Application: Apply at spray during the initial appearance of pests and repeat one or two sprays at 15 days interval according on pest intensity.

Application technique: Measure required quantity of the product and mix well in a small quantity of water. Add the remaining quantity of water as specified with thorough agitation for best coverage of crop. Use suitable knapsack sprayer like vst, Yellow cone nozzle.

Equipment Type: Knapsack sprayer

Nozzle Type: Yellow cone nozzle

Dosage: Please refer above recommendation table for dosage details.

Instruction for Mixing: Measure required quantity of the product and mix well with a small quantity of water. Add the remaining quantity of water as specified with thorough agitation for best coverage of crop.

Re-entry Period: 48 hours.

Manner & Time of application: Avoid application in afternoon hours. Mixed imagine application in morning and evening hours. Do not mix with soil.

Application Timings: Apply first spray only at initial appearance of pests and repeat one or two sprays at 15 days interval depending on pest intensity. Apply in morning hours. Spray are mostly during morning and evening hours. Do not apply in windy days or in rainy.

Frequency including max number of sprays: Apply first spray during initial appearance of pests and repeat one or two sprays at 15 days interval depending on pest intensity. Apply maximum three sprays.

Stages during which pesticides should not be applied on any crop: Apply only on stage as instructed in crop stage of Application. Do not apply on other stage.

Symptoms of Poisoning: Poisoning may cause symptoms of abdominal tension, convulsions, diarrhoea, dizziness, headache, chill fever, vertigo, nausea, vomiting, blurred vision, sweating, excessive lacrimation, salivation, irritability, muscle twitching, drowsiness, unconsciousness, possibly, coma or even death.

First Aid Measures: Call vomiting only if advised by Physician. If spontaneous consciousness, do not induce vomiting. Call a doctor immediately. If conscious and alert, rinse mouth with water and give 1 or 2 glasses of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until told to do so by the doctor. Immediately give artificial respiration if patient is not breathing or breathing with difficulty, give oxygen if trained and available. If on skin or clothing, take off clothing immediately. Wash skin with soap and plenty of water. Get medical attention if irritation persists. If in eyes, wash eyes with clean water for 15 minutes. Hold eyelids open to ensure effective washing. Get medical attention if irritation persists. If swallowed, call a poison control center or doctor immediately. Do not give any liquids to the person. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Get medical attention if symptoms occur. If exposed or concerned, get medical advice. Take the container or label with you when calling a poison control center or doctor or going for treatment. For more information call the National Pesticide Information Center at 1-800-858-7378. Have the product

460.00 mm

350.00 mm

TAMIL | TELUGU | KANNADA | MALAYALAM | BENGALI | URDU

டிக்டேட்டர்

மெட்ரோனிடசோல் 10% • மெட்ரோனிஜெஸ்டிரான் 30% WC
(மாத்திரைகள்)

உபயோகிப்பதற்கு முன்பு தெரிந்துகொள்ள படிக்கவும்

பொருளடக்கம்

- [illegible] 1
- [illegible] 2
- [illegible] 3
- [illegible] 4
- [illegible] 5

பெயர்	தயாரிப்பு விவரம்	அளவு (ஒற்றை மதிப்பு)	அளவு (வரம்பு)	எடை	கூடுதல் தகவல்
		மி.கி.	மி.கி.	கி.	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]

[illegible] [illegible] [illegible] [