SAINIK

Fipronil 4% w/w+Thiamethoxam 4% w/w SC
(Insecticide)

Read leaflet before use.

Dosage, Direction for use and Manner and time of application: Please refer leaflet for details. **Purpose:** For agriculture purpose only. **Re-entry:** A soon as spray dries up or 24 hours. **Chemical Composition:** Fipronil a.i, 4.0% w/w, Thiamethoxam ai. 4.0% w/w, Sunflower Oil (Stabilizer) 4.0% w/w, Monopropylene glycol (Anti freezing agent) 5.0% w/w, Silicon defoamer (Antifoaming) 1.0% w/w, Blend of Sodium Dodecyl Sulfate (Surfactant 1) 3.0% w/w, Blend of modified Polyethanoxy Ether (Surfactant 2) 3.0% w/w, Xanthan Gum (Thickening Agent) 0.30% w/w, Methylisothiazolinone (Anti-microbial agent) 0.01% w/w. Demineralized Water (Solvent) Q.S. to make %,Total: 100.00% w/w. **Safety Precautions:** 1) Avoid inhalation and contact with skin and eyes. 2) Keep away from children, food stuff, animal feed, heat and flame, Store in cool and dry place under lock and key. 3) Do not mix the insecticides with bare hands. 4) Do not eat, drink, smoke or chew tobacco while spray. 5) Spray the insecticide only in the direction of wind blowing and not against it so as to prevent the setting of the drift on body, 6) The user should use full protective clothing with rubber gloves, boots. Face should be covered with face shield or dust mask and body should be covered with an overall or rubber apron and hood or hat. 7) Do not use as an ultra-low volume spray. **Symptom of Poisoning:** Mainly consists of irritability, lethargy, muscle tremors and in extreme case possibly convulsions/seizures may occur. Nausea, vomiting. mild, temporary health effects mostly headache and dizziness, paresthesia, gastro-instential, respiratory and dermal signs and symptoms. **First Aid:**Please refer leaflet for details. **Antidote:** No specific antidote, symptomatic and supportive therapy. **Recommendations:** Fipronil 4% Thiamethoxam 4% SC is a unique combination of a new generation phenyl pyazole compound, Fipronil and a nconicotinoid, thiamethoam. The combination product formulation presents excellent synergism through contact, systemic and residual activity on the target pests. Fipronil will remains on the surfaced of the plants. Thiamethoxam is translocated in plants and provided long term inherent protection against target insects-pest. It is a safe to use formulation.**Cautionary statements:** 1. Not to be used for any purpose other than those subscribed on label and leaflets. 2. Destroy the container after use as directed on leaflet, 3. Do not spray during active bee-foraging period of the day. 4. Very toxic to fish and to aquatic organisms therefore, not to be used near aquaculture and rice fish farming. do not contaminate, river, ponds and streams. 5. Toxic to some birds.

सैनिक

फिप्रोनिल ४% (भार/भार)+थायोमैथोग्जाम ४% (भार/भार) एस.सी.

उपयोग से पहले पत्रक पढ़ें (कीटनाशक)

मात्रा, उपयोग के लिए निर्देश और रीति और अनुप्रयोग का समय: कृपया विवरण के लिए पत्रक का संदरभ ले ।**पुन: प्रविष्टि:** जसे ही स्प्रे सूख जाता है या २४ घंटे । **रासायनिक संरचना:** फिप्रोनिल स.त.४.००% भा/भा, थायोमैथोग्जाम स.त. ४.००% भा/भा, सनफलौवर ओयल (स्टेबिलायजर) ४.००% भा/भा,मोनोप्रोपाइलीन ग्लाईकोल (एन्टी फ्रिजिंग एजेंट) ५.००% भा/भा, सिलीकोन डिफामर (एन्टी फोमिंग) १.००% भा/भा, ब्लेड ऑफ सोडियम डोडीसाइल सलफेट (सरफेक्टेन्टस १) ३.००% भा/भा, ब्लेड ऑफ मोडिफाइज पोलीइथोनोक्सी ईथर (सरफेक्टेन्स २) ३.००% भा/भा, जैथम गम (थिकनिंग एजेंट) ०.३०% भा/भा,मिथायलइसोथायाजोलिनो न (एंटी- माइक्राबायल एजेंट) ०.०१% भा/भा,डी.एम.जल (सोलवैंट) पर्याप्त मात्रा %, **योग :१००.००% भार/भार। सुरक्षापूर्वधानियाँ :** १. इसे सूंघे नही तथा त्वचा एव आँखो को इसके संपर्क से बचाए । २. इसको बच्चों से, खादय पदार्थ, पशु , आहार और आग से दूर रखिए । इसको सुखी और ठंडी जगह में ताला लगाकर रखें ३. इसको नंगे हाथो से नही मिलाना चाहिए । ४. छिड़काव के समय खाना-पिना, धुम्रपान करना या तम्बाकू चुघलना वर्जित है । ५.हमेशा हवा की दिशा में ही छिड़काव कीजिए उसके विपरीत नही ताकि छिड़काव के कण बदन पर न गिरे। ६.उपयोगकर्ता के छिड़काव करने के समय सुरक्षित कपड़े, रबड़ के दस्ताने, बूट पहने चाहिए। मुँह फेस शील्ड या डसट मास्क से ढका होना चाहिए।७. इस कीटनाशक को अल्ट्रा लो वॉल्यूम स्प्रे की तरह नहीं छिड़कना चाहिए । **विषाक्तीकरण के लक्षण:** मुख्यत: चिड़चिड़ापन, उदासी, मासपेशियों में ऐंठना । अत्याधिक प्रकोप की अवस्था मे दौरे पड़ने की संभावनाए हो सकती है। मतली उल्टी । हल्के, अस्थायी स्वास्थ्य प्रभाव ज्यादातर सिरदर्द और चक्कर आना, पेरेस्टेसिया, गैस्ट्रोइन्टेंगियल, श्वसन और त्वचीय लक्षण है । **प्राथमिक उपचार :** कृपया विवरण के लिए पत्रक का संदरभ ले **विषनाशक:** कोई विशिष्ट विषहर औषध नही है, लाक्षणिक उपचार करें रोगसूचक और सहायक चिकित्सा करें । **उपयोग:** फिप्रोनिल ४% + थायोमैथोग्जाम ४% विलम्बन सस्पकन्ट्रिकरण एक नये जमाने के योगिक है जिसमे फिनायलपायराजोव युक्त फिप्रोनिल व निओनिकोटिनोइड युक्त थायोमैथोग्जाम का मिश्रण है।सूत्र का मिश्रण एक उच्च किस्म के उत्पाद का निर्माण करते है जो कि स्पर्शीय, अंर्तप्रवाही व अवशिष्ट क्रिया से निर्धारित कीटो पर असर करता है। फिप्रोनिल पौधे के ऊपर रहकर तथा थायोमैथोग्जाम कीटनाशक पौधो पर एक जगह से दूर सारी जगह लम्बे समय तक कीटो से सुरक्षा प्रदान करते है। यह एक सुरक्षित मिश्रण है। **सावधानियाँ कथन:** १. लेबल और पर्ची पर जो अभिदत्त है, उससे भिन्न अनय प्रयोजन में उपयोग के लिए नही। २. पर्चो के निर्देशानुसार उपयोग के पश्चात आध्यन को नष्ट करें। ३. मधुमक्खी के सक्रीय मधुमक्खी मधुपान करने के समय में इसका छिड़काव न करें। ४. मछली के लिए बहुत जहरीला और इसलिए जलीय जीवों के लिए जहरीला इसलिए जलीय कृषि और चावल मछली पालन के लिए उपयोग नही किया जान चाहिए। नदी, तालाब और नालों को दूषित न करें। ५. पक्षियों को विषाक्त।

SHAKE THE BOTTLE WELL BEFORE USE इस्तेमाल से पहले बोतल को अच्छी तरह हिलायें

SAINIK

Fipronil 4% w/w+Thiamethoxam 4% w/w SC
(Insecticide)

KEEP OUT OF REACH OF CHILDREN. बच्चों की पहुँच से दूर रखें।

खतरा
DANGER

Marketed by:
Gujarat Insecticides Limited

Marketed by:**GUJARAT INSECTICIDES LIMITED**
Plot No.805/806,GIDC Estate,Ankleshwar Dist.Bharuch,Gujarat -393002.
Manufactured by: **GHARDA CHEMICALS LIMITED,**
Regd. Office: Gharda House, 48, Hill Road, Bandra (W), Mumbai - 400 050.
Factory: Industrial Growth Centre, Phase II, Samba Dist. Samba,
Pin 184 121, Jammu & Kashmir.

विक्रेता:: **गुजरात इन्सेक्टीसाईडस् लिमिटेड,**
प्लॉट नं.:८०५/८०६, जी.आई.डी.सी.एस्टेट अंकलेश्वर,जिला- भरूच,गुजरात-३९३००२
निर्माता:**घरडा केमिकल्स लिमिटेड,** पंजी.कार्यालय:घरडा हाउस,४८ हिल रोड बांद्रा(प),मुंबई -४०००५०.फॅक्टरी: इन्डस्ट्रीयल ग्रोथ सेन्टर,फेज २,साम्बा,जि.साम्बा,जम्मू-कश्मिर-१८४१२१.

For any complaints contact Customer care Executive at
Gujarat Insecticides Limited,Plot No. 805/806,GIDC
Estate,Ankleshwar,Dist.Bharuch,Gujarat-393002.**Tel.:02646 668200**
Email:customercare@gilgharda.com website: www.gilgharda.com

Regn. No. / रजि. नं.: CIR-154339/2018-Fipronil+Thiamethoxam (SC)(390)-1995
Mfg. Lic. No. / उ.ला.नं. : J/M-Pvt/45
Net Content / शुध्द मात्रा : **1L/१ ली**

Batch No. / बैच नं. :
Mfg. Date / उत्पादन की तिथि :
Expiry Date :
उपयोग की अंतिम तिथि :
MRP₹(incl.of all taxes) :
अधिकतम खुदरा मूल्य₹ :
(सभी करों सहित)

Unvarnish
50mmX30mm

FOR AGRICULTURAL USE कृषि उपयोग के लिए



KEEP IN COOL & DRY PLACE AWAY FROM HEAT & OPEN FLAME.
सूखी और ठंडी जगह पर आग से दूर रखें ।

J.07.26-01