560.00 mm

English | Hindi | Marathi | Gujatati | Punjabi | Bengali

SAINIK

Fipronil 4% w/w+Thiamethoxam 4% w/w SC (Insecticide)

Read Leaflet Before Use.

Fipronil 4% + Thiamethoxam 4% SC is a unique combination of a new generation phenyl pyazole compound, Fipronil and a neonicotinoid, Thiamethoxam. The combination product formulation presents excellent synergism through contact, systemic and residual activity on the target pests. Fipronil which remains on the surfaced of the plants. Thiamethoxam is translocated in plants and provide long term in-cront protection against target insects-pest. It is a safe to use formulation.

Recommendation:

Crop(s)	Common Name of Pest	Dosage/HA: AI (gm)	Dosage/HA: Formulation (gm)	Dilution in water (litre)	Waiting Period between last spray to harvest (Days)	Re-entry after each application (in Hours)
Rice	Brown plant hopper; Green leaf hopper; White backed plant hopper	44+44	1100	500	45	-

SHAKE WELL BEFORE USE

Good Practices relating to pesticide application techniques

Direction of Use: Method of application : It should be applied as foliar spray. No specific soil and condition are prescribed. Uniform coverage is necessary for effective control of insects-pests. A simple knapsack sprayer fitted with hollow cone nozzle type can be used for spraying. Shake well before use.

Weather Condition(in general): Spray when the wind is steady and ideal. Avoid spraying in temperature above 30°C.

Soil & Water(where ever applicable): Only used as foliar application.

Crop Stage for application: vegetative growth stage

Application Technique: A simple knapsack sprayer fitted with hollow cone nozzle type can be used for spraying.

Equipment Type: Knapsack sprayer

Nozzle Type: Hollow cone nozzle

Dosage: As mentioned in table

Instruction for Mixing:-

Re-entry Period: as soon as spray dries up or 24 hours

Manner and Time of Application: Avoid application in afternoon hours. Ideal timing for application is morning and evening hours.

Application Timing: Avoid application in afternoon hours. Ideal timing for application is morning and evening hours.

Frequency: 2-3 sprays

Stages during which pesticides should not be applied on any crop:-

Precautions to be taken to avoid harm to the beneficial insects like honey bees and natural enemies of pests: Do not spray during active bee-foraging period of the day

Symptoms of Poisoning: mainly consists of irritability, lethargy, muscle tremors and in extreme case possibly convulsions/seizures may occur, Nausea, vomiting, mild, temporary health effects mostly headache and dizziness, paresthesia, gastrointestinal, respiratory and dermal signs and symptoms.

First Aid: If ingested: if person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician. If inhaled: Take the patient to fresh air and take care of body temperature. If patient is no: breathing or breathing with difficulty, give artificial respiration. Consult a physician. In case of skin contact: Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. In case of eye contact: Rinse gently with plenty of water at least for15 minutes. If pain, irritation, redness or photophobia persists, Consult eye specialist.

Antidote: No specific antidote, symptomatic and supportive therapy.

Phytotoxicity: Non phytotoxic when used as recommended.

Storage Conditions: 1. The packages containing insecticide shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly food articles or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the insecticide. Keep out of reach of children. 2. The store rooms should be well built well lit, well ventilated and of sufficient dimensions. The conditions of the store should be dry and cool.

Safety Precaution: 1) Avoid inhalation and contact with skin and eyes. 2) Keep away from children, food stuff, animal feed, heat and flame. Store in cool and dry place under lock and key. 3) Do not mix the insecticides with bare hands. 4) Do not eat, drink, smoke or chew tobacco while spray. 5) Spray the insecticide only in the direction of wind blowing and not against it so as to prevent the setting of the drift on body. 6) The user should use full protective clothing with rubber gloves, boots. Face should be covered with face shield or dust mask and body should be covered with an overall or rubber apron and hood or hat. 7) Do not use as an ultra-low volume spray.

Cautionary Statement: 1. Not to be used for any purpose other than those subscribed on label and leaflets. 2. Destroy the container after use as directed on leaflet. 3. Do not spray during active bee-foraging period of the day. 4. Very toxic to fish and to aquatic organisms therefore, not to be used near aquaculture and rice fish farming, do not contaminate, river, ponds and streams. 5. Toxic to some birds.

Disposal of used containers, washing from equipment and surplus material: 1. It shall be the duty of manufactures, formulators of insecticides and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution. 2. The used packages shall not be left outside to prevent their re-use. 3. The packages shall be broken and buried away from habitation.

Chemical Composition

Fipronil a.i.	4.0% w/w
Thiamethoxam a.i.	4.0% w/w
Sunflower Oil (Stabilizer)	4.0% w/w
Monopropylene glycol (Anti freezing agent)	5.0% w/w
Silicon defoamer (Anti foaming)	1.0% w/w
Blend of Sodium Dodecyl Sulfate (Surfactant 1)	3.0% w/w
Blend of modified Polyethoxy Ether (Surfactant 2)	3.0% w/w
Xanthan Gum (Thickening Agent)	0.30% w/w
Methylisothiazolinone (Anti-microbial agent)	0.01% w/w
Demineralized Water (Solvent)	Q.S. to make %
Total	**100.00% w/w**

" DANGEROUS TO RE USE EMPTY CONTAINER "

सैनिक

फिप्रोनिल ४% भा/भा + थायामेथोक्साम ४% भा/भा एस.सी. (कीटनाशक)

इस्तेमाल से पहले संलग्न पत्रिका पढ़ें।

उपयोग करने से पहले बोतल को अच्छी तरह से हिलायें

" खाली कंटेनर का दोबारा उपयोग करना खतरनाक है। "

सैनिक

वापरण्यापूर्वी माहिती पत्रक वाचा.

वापरण्यापूर्वी बाटली व्यवस्थित हलवा

" रिकामे कंटेनर पुन्हा वापरणे धोकादायक आहे."

સૈનિક

વાપરતાં પહેલાં પત્રિકા વાંચો.

ઉપયોગ પહેલાં સારી રીતે બોટલ હલાવવું

ਸੈਨਿਕ

ਵਰਤੋਂ ਤੋਂ ਪਹਿਲਾਂ ਬੋਤਲ ਚੰਗੀ ਤਰ੍ਹਾਂ ਹਿਲਾਓ

সৈনিক

ব্যবহারের পূর্বে লিফলেট পড়ে নিন।

ব্যবহারের আগে ভালোভাবে ঝাঁকান


DIRECTION FOR USE

FOR AGRICULTURAL USE

कृषि उपयोग के लिए

Read Leaflet Before Use

इस्तेमाल से पहले संलग्न पत्रिका पढ़ें।



सैनिक

फिप्रोनिल ४%+ थायोमेथोक्जाम ४% (भार/भार) एस.सी.

(कीटनाशक)

Marketed by:
GUJARAT INSECTICIDES LIMITED
Plot No.805/806,GIDC Estate, Ankleshwar
Dist. Bharuch, Gujarat - 393002.

विक्रेता:गुजरात इन्सेक्टीसाईडस लिमिटेड,
प्लॉट नं.:८०५/८०६, जी.आई.डी.सी.एस्टेट अंकलेश्वर,
जिला– भरूच,गुजरात–३९३००२

Manufactured by:
GHARDA CHEMICALS LIMITED,
Regd Office:Gharda House,48,Hill Road,Bandra (W),Mumbai-400050.
Factory:Industrial Growth Centre,Phase II,
Samba Dist.Samba,Pin 184121,Jammu&Kashmir.

निर्माता: **घरडा केमिकल्स लिमिटेड,**
पंजी. कार्यालय: घरडा हाउस, ४८ हिल रोड बांद्रा (प),
मुंबई – ४०० ०५०. फॅक्टरी: इन्डस्ट्रीयल ग्रोथ सेन्टर,
फेज २, साम्बा, जम्मु–कश्मिर – १८४१२१.

For any complaints contact Customer care Executive at Gujarat Insecticides Limited,Plot No. 805/806,GIDC Estate,Ankleshwar,Dist.Bharuch,Gujarat-393002.**Tel.:02646 668200**
Email:customercare@gilgharda.com
website: www.gilgharda.com



J.07.26-01

English Font size is 7 pt
Height is 2.2 mm

560.00 mm

400.00 mm

Tamil | Telugu | Kannada | Malayalam | Oriya | Urdu

சைனிக்

సైనిక్

ಸೈನಿಕ್

സൈനിക്

ସୈନିକ

سینک

பரிந்துரை

పరిచయం

ಪರಿಚಯ

ശുപാർശ

ପରିଚୟ

تعارف

பயன்பாட்டிற்கு முன்பு தயவுசெய்து

ఉపయోగం ముందు దయచేసి

ಬಳಕೆಗೂ ಮುಂದು ದಯವಿಟ್ಟು

ഉപയോഗിക്കുന്നതിന് മുമ്പ് ദയവായി

ବ୍ୟବହାର ପୂର୍ବରୁ ଦୟାକରି

استعمال سے پہلے براہ کرم

இயக்குவிக்கும் முறை

ఆపరేటింగ్ విధానం

ಕಾರ್ಯಾಚರಣೆ ವಿಧಾನ

പ്രവർത്തന രീതി

କାର୍ଯ୍ୟ ପଦ୍ଧତି

آپریٹنگ طریقہ

பாதுகாப்பு முன்னெச்சரிக்கைகள்

భద్రతా ముందు జాగ్రత్తలు

ಸುರಕ್ಷತಾ ಮುನ್ನೆಚ್ಚರಿಕೆಗಳು

സുരക്ഷാ മുൻകരുതലുകൾ

ସୁରକ୍ଷା ପୂର୍ବାନୁମାନ

حفاظتی احتیاطی تدابیر

முதலுதவி

ప్రథమ చికిత్స

ಪ್ರಥಮ ಚಿಕಿತ್ಸೆ

പ്രഥമ ശുശ്രൂഷ

ପ୍ରାଥମିକ ଚିକିତ୍ସା

ابتدائی طبی امداد

சேமிப்பு

సంగ్రహణ

ಸಂಗ್ರಹಣೆ

സംഭരണം

ଗଚ୍ଛିତ ରଖିବା

ذخیرہ

பரிகாரம்

పరిహారం

ಪರಿಹಾರ

പരിഹാരം

ପ୍ରତିକାର

علاج

தயாரிப்பு விவரம்

తయారీ వివరాలు

ತಯಾರಿಕೆ ವಿವರಗಳು

നിർമ്മാണ വിശദാംശങ്ങൾ

ପ୍ରସ୍ତୁତି ବିବରଣୀ

تیاری کی تفصیلات


DIRECTION FOR USE

FOR AGRICULTURAL USE

कृषि उपयोग के लिए

Read Leaflet Before Use

इस्तेमाल से पहले संलग्न पत्रिका पढ़ें।



सैनिक

फिप्रोनिल ४% + थायोमेथोक्साम ४% (w/w) एस.सी.

(कीटनाशक)

Marketed by:
GUJARAT INSECTICIDES LIMITED
Plot No.805/806,GIDC Estate, Ankleshwar
Dist. Bharuch, Gujarat - 393002.

विक्रेता: गुजरात इन्सेक्टीसाईड्स् लिमिटेड,
प्लॉट नं.८०५/८०६, जी.आई.डी.सी.एस्टेट अंकलेश्वर,
जिला- भरूच, गुजरात-३९३००२

Manufactured by:
GHARDA CHEMICALS LIMITED,
Regd.Office:Gharda House,48,Hill Road,Bandra (W),Mumbai-400050
Factory:Industrial Growth Centre,Phase II, Samba Dist.Samba,Pin 184121,Jammu&Kashmir.

निर्माता: घरडा केमिकल्स लिमिटेड,
पंजी. कार्यालय: घरडा हाउस, ४८ हिल रोड बांद्रा (प), मुंबई – ४०० ०५०. के.दरटी. इन्डस्ट्रीयल ग्रोथ सेन्टर, फेज २, साम्बा, जम्मू-कश्मिर – १८४१२१.

For any complaints contact Customer care Executive at Gujarat Insecticides Limited,Plot No. 805/806,GIDC Estate,Ankleshwar,Dist.Bharuch,Gujarat-393002.**Tel.:02646 668200**
Email:customercare@gligharda.com
website: www.gligharda.com

J.07.26-01